



BERTONY

OTR

— OFF THE ROAD —



ENGINEERED
IN ITALY





B ZERO RR-214 (E4)



SIZE	STAR LEVEL	TYPE	CODE	STD RIM	TREAD DEPTH (MM)	LI/SS	DIMENSION (MM)		QTY/400
							SW	OD	
27.00R49	★★	TL	E4	19.50/4.0	72.0	240A2/215B	735	2700	12
33.00R51	★★	TL	E4	24.00/5.0	82.0	253A2/235B	895	3060	8
37.00R57	★★	TL	E4	27.00/6.0	86.0	261A2/246B	1015	3440	6
40.00R57	★★	TL	E4	29.00/6.0	86.0	268A2/250B	1095	3595	6
46/90R57	★★	TL	E4	32.00/6.0	96.0	269A2/252B	1170	3595	6

High self-cleaning performance.

Extra sidewall protection and tear resistant compound provide anti-punching performance.



OTR





B ZERO RR-215 (E4)



SIZE	STAR LEVEL	TYPE	CODE	STD RIM	TREAD DEPTH (MM)	LI/SS	DIMENSION (MM)		QTY/400T
							SW	OD	
33.00R51	★★	TL	E4	24.00/5.0	90.0	235B	920	3030	8
40.00R57	★★	TL	E4	29.00/6.0	96.0	250B	1097	3560	6

Deep tread and large pattern provide better grip and stability.

The tread rubber with low heat generation design effectively increases TKPH/TMPH.

Unique tread compound lead to lower wear rate and safer in driving.